

TANKS



OUTLAST THE REST

RAPID SPRAY CARTAGE TANK
WITH 15 YEAR WARRANTY

Rapid Spray cartage tanks are built to stand the test of time. Manufactured to Australian standards and made with Australian manufactured products, Rapid Spray tanks are the toughest and most durable tanks available on the market. As a trusted cartage tank manufacturer, we see to it that our products are proven and tested to offer quality performance on the field every day, ensuring they are with you for the long haul.

See more myth-busting antics from Rapid Spray Ray on our Facebook page or visit rapidspray.net

TANK SELECTION

CARTAGE TANKS

	AquaV	Active Liquid	Mega Molasses
Catalogue Page	39-41	39-41	39-41
Available sizes	400L - 10,000L	200L - 15,000L	1000L - 15,000L
Best for	Suitable for water only	Suitable for water & other non-hazardous liquids up to 1.3 SG	Suitable for molasses & liquid fertilisers up to 1.6 SG
Specific Gravity	1.1:1 SG	1.3 : 1 SG	1.6:1 SG
Material	All three models	s are manufactured using opaque fo complies with AS4766:2006-	
UV Stabilised	Yes	Yes	Yes
Mounting	All are flat bottom, can	oe mounted to a flat-deck truck. Mo	ounting pins supplied with tank
Warranty		15 years on all tanks	

MODULAR TANKS

	Modular V1	Modular V2
Catalogue Page	42-43	42-43
Available sizes	4000L - 28,000L	8000L - 36,000L
Compartment size	2000L	4000L
Best for	Larger trucks. Segmented loads	Semi trucks & off-road tankers
Key differences	Narrower design allows room for pipework down the sides	Greater capacity in a shorter length for more deck space
		Available with compartments separate or inter- nally joined with 220mm flow tube
		Available with sumps in end or centre compartments
Warranty	15 years	on all tanks

SPRAY TANKS

	Pin Mount	Strap Mount	Drum Rinse				
Catalogue Page	44-48	46-48	49				
Available sizes	100L - 13,000L	100L, 200L, 300L, 400L, 600L, 1200L, 2000L	50L, 120L, 200L				
Sump	Sump Fully draining sump Fully draining sump						
Material	All three models ar	All three models are manufactured using translucent food grade poly material - complies with AS4766:2006					
Specific Gravity	All three mod	All three models are suitable for liquids up to 1.3:1 Specific Gravity. 1.6:1 SG tanks available on special order					
Notes	All three mo	dels available with or without galvanised s	steel frame				
Warranty		15 years on all tanks					
UV Stabilised	Yes	Yes	Yes				



THICK. TOUGH.

SCORCHER PROOF

OUTLAST THE ELEMENTS

LARGE TANK OPENING

For fast, easy filling. 455mm lid with a labyrinth breather on tanks 800-15000L

EXTRA THICK TANK STRUCTURE

With a load capacity of up to 1.6:1 specific gravity on mega molasses tanks. Active liquid tanks rated 1.3:1 SG Active V tanks rated 1.1:1 SG

'NO SPILL' CONTAINMENT LIP

UV STABILISED Built to last in the

harshest of elements

Moulded on tanks over 400L

GRADUATION MARKINGS

For quick measurement readings on contents

FREE STAINLESS STEEL OR POLY TANK OUTLET

Fitting supplied with every tank

OPAQUE TEAL

Colour blocks sunlight to prevent algae growth

SPECIFIC MOULDED BASE LEGS

Stable mounting on any flat surface

'SUREFIT' MOUNTING PINSFree pins supplied with every tank

THE TOUGHEST TANKS!

All of our tanks are manufactured here in Australia to dual Australian Standards, making ours the highest quality, toughest & most durable tanks on the market. With in-build Flexi-link technology in each tank structure, our tanks are able to cope with the twisting and flexing of those truck chassis movements that happen in tough operating conditions. Specialised poly manufacturing process maximises strength with minimal weight resulting in greater payload opportunities. UV stabilised, and backed by a full 15 year warranty, you'll be guaranteed to get a long life out of your Rapid Spray tank.





5,000L - 15,000L FREE STA	NDING TANKS						
CALL FOR	Version				nk Options P inc & Code		
BALL BAFFLE Fitted Pricing			AquaV 0:1 SG	Active Liquid 1.3:1 SG			a Molasses 6:1 SG
15,000L 4000(L) × 2350 (W) × 2120 (H)	Tank Only			\$17,409	PTC15000TO	\$20,891	PTC15000TOH
Additional x 375	Tank & Frame		N/A	\$23,043	PTC15000KTO	\$26,525	PTC15000KTOH
Ball Baffle to suit \$3,750 RRP inc.	Tank, Frame & Pump Plate			\$23,651	PTC15000KPTO	\$27,133	PTC15000KPTOH
13,000L High Profile 3600(L) x 2250 (W) x 2280 (H)	Tank Only			\$15,071	PTC13000TO	\$18,085	PTC13000TOH
Additional x 325	Tank & Frame		N/A	\$20,378	PTC13000KTO	\$23,392	PTC13000KTOH
Ball Baffle to suit \$3,250 RRP inc	Tank, Frame & Pump Plate			\$20,931	PTC13000KPTO	\$23,945	PTC13000KPTOH
13,000L Low Profile 4000(L) x 2350 (W) x 1900 (H)	Tank Only			\$15,071	PTC13000ATO	\$18,085	PTC13000ATOH
Additional x 325	Tank & Frame		N/A		PTC13000AKTO	\$23,720	PTC13000AKTOH
Ball Baffle to suit \$3,250 RRP inc.	Tank, Frame & Pump Plate				PTC13000AKPTO	\$24,327	PTC13000AKPTOH
10,000L 3600(L) x 2250 (W) x 1850 (H)	Tank Only	\$9,976	STC10000TO	\$12,540	PTC10000TO	\$15,047	PTC10000TOH
Additional x 250	Tank & Frame	\$15,284	STC10000KTO	\$17,847	PTC10000KTO	\$20,354	PTC10000KTOH
Ball Baffle to suit \$2,500 RRP inc.	Tank, Frame & Pump Plate	\$15,836	STC10000KPTO	\$18,400	PTC10000KPTO	\$20,907	PTC10000KPTOH
8,000L 3250(L) x 1900 (W) x 1890 (H)	Tank Only			\$10,564	PTC08000TO	\$12,678	PTC08000TOH
Additional x 200	Tank & Frame		N/A	\$14,484	PTC08000KTO	\$16,597	PTC08000KTOH
Ball Baffle to suit \$2,000 RRP inc.	Tank, Frame & Pump Plate			\$15,063	PTC08000KPTO	\$17,177	PTC08000KPTOH
7,000L 3250(L) x 1920 (W) x 1640 (H)	Tank Only	\$7,314	STC07000TO	\$8,582	PTC07000TO	\$10,298	PTC07000TOH
Additional x 175	Tank & Frame	\$11,233	STC07000KTO	\$12,502	PTC07000KTO	\$14,217	PTC07000KTOH
Ball Baffle to suit \$1,750 RRP inc.	Tank, Frame & Pump Plate	\$11,813	STC07000KPTO	\$13,080	PTC07000KPTO	\$14,797	PTC07000KPTOH
6,000L 2790(L) × 2000 (W) × 1556 (H)	Tank Only	\$6,196	STC06000TO	\$8,077	PTC06000TO	\$9,691	PTC06000TOH
Additional x 150	Tank & Frame	\$9,344	STC06000KTO	\$11,226	PTC06000KTO	\$12,840	PTC06000KTOH
Ball Baffle to suit \$1,500 RRP inc.	Tank, Frame & Pump Plate	\$9,857	STC06000KPTO	\$11,738	PTC06000KPTO	\$13,352	PTC06000KPTOH
5,000L 2790(L) × 2000 (W) × 1400 (H)	Tank Only	\$5,292	STC05000TO	\$6,335	PTC05000TO	\$7,600	PTC05000TOH
Additional x 125	Tank & Frame	\$8,441	STC05000KTO	\$9,483	PTC05000KTO	\$10,749	PTC05000KTOH
Ball Baffle to suit \$1,250 RRP inc.	Tank, Frame & Pump Plate	\$8,953	STC05000KPTO	\$9,996	PTC05000KPTO	\$11,261	PTC05000KPTOH

 $\textbf{DISCLAIMER} - \texttt{Tank} \ dimensions \ may \ vary \ slightly \ due \ to \ manufacturing \ processes. \ Graduation \ markings \ on \ all \ tanks \ except \ 5000L, 6000L, 13000L \ (low \ profile) \ \& \ 15,000L, 15000L, 150$



2,000L - 4,800L FREE STANI	DING TANKS	I		_				
CALL FOR	Version				k Options inc & Code			
BALL BAFFLE Fitted Pricing			AquaV .0:1 SG		ve Liquid .3:1 SG	Mega Molasses 1.6:1 SG		
4,800L 2340(L) x 1550 (W) x 1880 (H)	Tank Only			\$6,015	PTC04800TO	\$7,218	PTC04800TOH	
Additional x 120	Tank & Frame		N/A	\$8,889	PTC04800KTO	\$10,093	PTC04800KTOH	
Ball Baffle to suit \$1,200 RRP inc.	Tank, Frame & Pump Plate			\$9,407	PTC04800KPTO	\$10,610	PTC04800KPTOH	
4,400L 2960(L) x 1450 (W) x 1470 (H)	Tank Only	\$4,656	STC04400TO	\$5,736	PTC04400TO	\$6,884	PTC04400TOH	
Additional x 110	Tank & Frame	\$7,804	STC04400KTO	\$8,884	PTC04400KTO	\$10,032	PTC04400KTOH	
Ball Baffle to suit \$1,100 RRP inc	Tank, Frame & Pump Plate	\$8,317	STC04400KPTO	\$9,397	PTC04400KPTO	\$10,545	PTC04400KPTOH	
3,400L Low Profile 2960(L) x 1450 (W) x 1230 (H)	Tank Only			\$4,984	PTC03400TO	\$5,980	PTC03400TOH	
Additional x 85	Tank & Frame		N/A		PTC03400KTO	\$9,129	PTC03400KTOH	
Ball Baffle to suit \$850 RRP inc.	Tank, Frame & Pump Plate			\$8,645	PTC03400KPTO	\$9,641	PTC03400KPTOH	
3,000L 2340(L) x 1520 (W) x 1200 (H)	Tank Only	\$3,658	STC03000TO	\$4,671	PTC03000TO	\$5,606	PTC03000TOH	
Additional x 75	Tank & Frame	\$6,533	STC03000KTO	\$7,547	PTC03000KTO	\$8,480	PTC03000KTOH	
Ball Baffle to suit \$750 RRP inc.	Tank, Frame & Pump Plate	\$7,050	STC03000KPTO	\$8,063	PTC03000KPTO	\$8,998	PTC03000KPTOH	
2,500L 2000(L) x 1420 (W) x 1265 (H)	Tank Only	\$2,851	STC02500TO	\$3,405	PTC02500TO	\$4,085	PTC02500TOH	
Additional v 62	Tank & Frame	\$5,256	STC02500KTO	\$5,810	PTC02500KTO	\$6,490	PTC02500KTOH	
Ball Baffle to suit \$620 RRP inc.	Tank, Frame & Pump Plate	\$5,743	STC02500KPTO	\$6,297	PTC02500KPTO	\$6,977	PTC02500KPTOH	
2,000L 2000(L) × 1420 (W) × 1070 (H)	Tank Only	\$2,660	STC02000TO	\$2,993	PTC02000TO	\$3,592	PTC02000TOH	
Additional x 50	Tank & Frame	\$5,065	STC02000KTO	\$5,398	PTC02000KTO	\$5,997	PTC02000KTOH	
Ball Baffle to suit \$500 RRP inc.	Tank, Frame & Pump Plate	\$5,552	STC02000KPTO	\$5,885	PTC02000KPTO	\$6,484	PTC02000KPTOH	








 $\textbf{DISCLAIMER} \textbf{-} Tank \ dimensions \ may \ vary \ slightly \ due \ to \ manufacturing \ processes.$

400L - 1,500L FREE STANDII	NG TANKS						
CALL FOR	Version				nk Options inc. & Code		
BALL BAFFLE Fitted Pricing		AquaV 1.0:1 SG			Active Liquid 1.3:1 SG		a Molasses 6:1 SG
1,500L 1700(L) × 1320 (W) × 1050 (H)	Tank Only	\$1,995	STC01500TO	\$2,274	PTC01500TO	\$2,727	PTC01500TOH
Additional x 37	Tank & Frame	\$3,639	STC01500KTO	\$3,917	PTC01500KTO	\$4,371	PTC01500KTOH
Ball Baffle to suit \$370 RRP inc.	Tank, Frame & Pump Plate	\$4,128	STC01500KPTO	\$4,406	PTC1500KPTO	\$4,860	PTC01500KPTOH
1,200L 1700(L) × 1320 (W) × 860 (H)	Tank Only			\$1,848	PTC01200TO	\$2,218	PTC01200TOH
Additional x 30	Tank & Frame		N/A	\$3,492	PTC01200KTO	\$3,861	PTC01200KTOH
Ball Baffle to suit \$300 RRP inc	Tank, Frame & Pump Plate			\$3,981	PTC01200KPTO	\$4,350	PTC01200KPTOH
1,000L 1350(L) × 1200 (W) × 900 (H)	Tank Only	\$1,461	STC01000TO	\$1,723	PTC01000TO	\$2,067	PTC01000TOH
Additional x 25	Tank & Frame	\$2,241	STC01000KTO	\$2,505	PTC01000KTO	\$2,848	PTC01000KTOH
Ball Baffle to suit \$250 RRP inc.	Tank, Frame & Pump Plate	\$2,828	STC01000KPTO	\$3,092	PTC01000KPTO	\$3,435	PTC01000KPTOH
800L 1350(L) x 1200 (W) x 690 (H)	Tank Only	\$1,300	STC00800TO	\$1,568	PTC00800TO		
Additional v 20	Tank & Frame	\$2,082	STC00800KTO	\$2,349	PTC00800KTO		N/A
Ball Baffle to suit \$200 RRP inc.	Tank, Frame & Pump Plate	\$2,668	STC00800KPTO	\$2,935	PTC00800KPTO		
600L 1190(L) × 1050(W) × 735(H)	Tank Only	\$968	STC00600TO	\$1,273	PTC00600TO		
Additional x 85 Small	Tank & Frame	\$1,738	STC00600KTO	\$2,042	PTC00600KTO		N/A
Ball Baffle to suit \$467.50 RRP inc.	Tank, Frame & Pump Plate	\$2,300	STC00600KPTO	\$2,604	PTC00600KPTO		
400L 1190(L) × 1050(W) × 500(H)	Tank Only	\$762	STC00400TO	\$1,076	PTC00400TO		
Additional x 57 Small	Tank & Frame	\$1,532	STC00400KTO	\$1,845	PTC00400KTO		N/A
Ball Baffle to suit \$313.50 RRP inc.	Tank, Frame & Pump Plate	\$2,094	STC00400KPTO	\$2,408	PTC00400KPTO		

SQUAT & WATER TANKS • 10L - 400L OPTIONS

Tank size	Dimensions	Style	Notes	Code	RRP inc.
400AL	1620(L) x 710(W) x 510(H)	1	250mm poly screw lid	PTC00400ATO	\$1,053
400BL	1475(L) x 755(W) x 695(H)	2	250mm poly screw lid	PTC00400BTT	\$1,201
250L	910(L) x 730(W) x 670(H)	3	250mm poly screw lid	PTC00200ATT	\$809
100L	450mm(ø) x 950mm (H)	4	150mm poly screw lid	PTZV00100TT	\$464
50L	450mm(ø) x 600mm (H)	5	150mm poly screw lid	PTZV00050TT	\$300
25L	450mm(ø) x 400mm (H)	6	150mm poly screw lid	PTZV00025TT	\$204
10L	220mm(ø) x 460mm (H)	7	150mm poly screw lid	PTZV00010TT	\$150







SUREFIT

Secure pin mounting system

UNIQUE 2-WAY BAFFLE SYSTEM

Limits longitudinal & sideways movement for max fluid stability Allows for internal movement of joiner without leaking

TANK DRAINAGE


Sections can be drained individually (for cartage of different fluids) or linked together to allow equalised filling & draining

225MM INTERNAL DIAMETER FLOW

Allows rapid fluid transfer between sections & baffled to prevent surcharge

ADD ONS - ADDITIONS AVAILABLE ON REQUEST







Galvanised filling funnel



Full drain sump (V2 models only) Range of colours





V1 FLEXCONNEX MODULAR TANKS Tank Modules Dimensions

Tank	Modules	Dimensions	Dry Weight	Code	RRP inc.
4,200L	2	1825(L) x 2160(W) x 1680(H)	260KG*	PTM04000TO	\$6,711
6,200L	3	2665(L) x 2160(W) x 1680(H)	390KG*	PTM06000TO	\$10,062
8,200L	4	3505(L) x 2160(W) x 1680(H)	520KG*	PTM08000TO	\$13,410
10,200L	5	4345(L) x 2160(W) x 1680(H)	650KG*	PTM10000TO	\$16,762
12,200L	6	5185(L) x 2160(W) x 1680(H)	780KG*	PTM12000TO	\$20,114
14,200L	7	6025(L) x 2160(W) x 1680(H)	910KG*	PTM14000TO	\$23,467
16,200L	8	6865(L) x 2160(W) x 1680(H)	1040KG*	PTM16000TO	\$26,820
18,200L	9	7705(L) x 2160(W) x 1680(H)	1170KG*	PTM18000TO	\$30,169
20,200L	10	8545(L) x 2160(W) x 1680(H)	1300KG*	PTM20000TO	\$POA
22,200L	11	9385(L) x 2160(W) x 1680(H)	1430KG*	PTM22000TO	\$POA
24,200L	12	10225(L) × 2160(W) × 1680(H)	1560KG*	PTM24000TO	\$POA
26,200L	13	11065(L) x 2160(W) x 1680(H)	1690KG*	PTM26000TO	\$POA
28,200L	14	11910(L) × 2160(W) × 1680(H)	1820KG*	PTM28000TO	\$POA
30,200L	15	12750(L) x 2160(W) x 1680(H)	1950KG*	PTM30000TO	\$POA

V2 FLEXCONNEX MODULAR TANKS

Size	Modules	Dimensions	Dry Weight	Code	RRP inc.
8,000L	2	2795(L) x 2350(W) x 1650(H)	480KG*	PTM08000ATO	\$11,372
12,000L	3	4160(L) x 2350(W) x 1650(H)	720KG*	PTM12000ATO	\$17,098
16,000L	4	5525(L) x 2350(W) x 1650(H)	960KG*	PTM16000ATO	\$23,182
20,000L	5	6890(L) x 2350(W) x 1650(H)	1200KG*	PTM20000ATO	\$POA
24,000L	6	8255(L) x 2350(W) x 1650(H)	1440KG*	PTM24000ATO	\$POA
28,000L	7	9620(L) x 2350(W) x 1650(H)	1680KG*	PTM28000ATO	\$POA
32,000L	8	10965(L) x 2350(W) x 1650(H)	1920KG*	PTM32000ATO	\$POA

^{*} Weights are approximate

DISCLAIMER: Tank dimensions may vary slightly due to manufacturing processes.





4,000L SECTIONS



Our tanks have the most extraordinary impact-resistant qualities and are impervious to the toughest conditions. Using specially a condition of the standard conditions are impervious to the toughest conditions and the standard conditions are impervious to the toughest conditions. Using specially a condition of the standard conditions are impervious to the toughest conditions and the standard conditions are impervious to the standard conditions. Using specially a condition of the standard conditions are impervious to the standarblended poly, Rapid Spray's spray tanks are able to carry the broadest range of liquids, from plain water to the harshest chemicals. With the positive draining tank base and lower sump, you'll be sure to have a flooded suction regardless of terrain, allowing you to get the most out of your tank.

455MM LID & BREATHER + NO SPILL LIP

Prevents sucking & allows easy breathing Lip - standard on tanks over 600L



EASY READ CALIBRATIONS

For ease of measuring contents



BASKET FILTER SUPPLIED WITH TANKS 200L +

Safeguards and decontaminates liquid when filling



TRANSLUCENT TEAL

Colour assists in seeing liquid level in tank



SMOOTH INTERIOR & INTEGRAL SUMP

Allows complete evacuation and decontamination

UV STABILISED

Poly for long life



'SUREFIT' PIN MOUNTING

Secure mounting pin system



CUT AWAY OF PIN

Shows secure mounting




FULL DRAIN SUMP & SUMP CLEARANCE

Easy clean & drainage of tank

DISCLAIMER: Tank dimensions may vary slightly due to manufacturing processes. Graduation markings not on tank sizes 5000L and 6000L.









Tank Size	Frame	Dimensions	Notes	Code	RRP inc.
10 0001	No	3600(L) x 2250(W) x 2140(H)	450mm poly hinge lid, 2" Croc-loc fitting (loose), mounting pins	PTSP10000TT	\$12,540
10,000L	Yes	3750(L) x 2250(W) x 2240(H)	450mm poly hinge lid, 2" Croc-loc fitting (loose), frame fitted	PTSP10000KTT	\$18,194
Tank Size	Frame	Dimensions	Notes	Code	RRP inc.
7 0001	No	3250(L) x 1900(W) x 1740(H)	450mm poly hinge lid, 2" Croc-loc fitting (loose), mounting pins	PTSP07000TT	\$8,235
7,000L	Yes	3250(L) x 1900(W) x 1790(H)	450mm poly hinge lid, 2" Croc-loc fitting (loose), frame fitted	PTSP07000KTT	\$12,376
c 0001	No	3250(L) x 1550(W) x 1860(H)	450mm poly hinge lid, 2" Croc-loc fitting (loose), mounting pins	PTSP06000TT	\$6,767
6,000L	Yes	3250(L) x 1550(W) x 1930(H)	450mm poly hinge lid, 2" Croc-loc fitting (loose), frame fitted	PTSP06000KTT	\$10,336
C 000AI	No	2760(L) x 2000(W) x 1670(H)	450mm poly hinge lid, 2" Croc-loc fitting (loose), mounting pins	PTSP06000ATT	\$6,767
6,000AL	Yes	2760(L) x 2000(W) x 1782(H)	450mm poly hinge lid, 2" Croc-loc fitting (loose), frame fitted	PTSP06000AKTT	\$10,336
F 0001	No	2760(L) x 2000(W) x 1520(H)	450mm poly hinge lid, 2" Croc-loc fitting (loose), mounting pins	PTSP05000TT	\$5,867
5,000L	Yes	2760(L) x 2000(W) x 1570(H)	450mm poly hinge lid, 2" Croc-loc fitting (loose), frame fitted	PTSP05000KTT	\$8,552
Tank Size	Frame	Dimensions	Notes	Code	RRP inc.
4 0001	No	2340(L) x 1550(W) x 2080(H)	450mm poly hinge lid, 2" Croc-loc fitting (loose), mounting pins	PTSP04800TT	\$5,609
4,800L	Yes	2340(L) x 1550(W) x 2130(H)	450mm poly hinge lid, 2" Croc-loc fitting (loose), frame fitted	PTSP04800KTT	\$8,517













2,000AL PIN MOUNT



PIN MOUN	IT SPRAY	TANKS			
Tank Size	Frame	Dimensions	Notes	Code	RRP inc.
4.4001	No	2960(L) x 1450(W) x 1600(H)	450mm poly hinge lid, 2" Croc-loc fitting (loose), mounting pins	PTSP04400TT	\$5,204
4,400L	Yes	2960(L) x 1450(W) x 1650(H)	450mm poly hinge lid, 2" Croc-loc fitting (loose), frame fitted	PTSP04400KTT	\$8,224
2.4001	No	2960(L) x 1450(W) x 1280(H)	450mm poly hinge lid, 2" Croc-loc fitting (loose), mounting pins	PTSP03400TT	\$4,780
3,400L	Yes	2960(L) x 1450(W) x 1330(H)	450mm poly hinge lid, 2" Croc-loc fitting (loose), frame fitted	PTSP03400KTT	\$7,763
2 0001	No	2340(L) x 1500(W) x 1310(H)	450mm poly hinge lid, 2" poly fitting (loose), mounting pins	PTSP03000TT	\$4,471
3,000L	Yes	2340(L) x 1500(W) x 1350(H)	450mm poly hinge lid, 2" poly fitting (loose), frame fitted	PTSP03000KTT	\$7,115
2 5001	No	2000(L) x 1480(W) x 1310(H)	450mm poly hinge lid, 2" poly fitting (loose), mounting pins	PTSP02500TT	\$3,367
2,500L	Yes	2000(L) x 1480(W) x 1360(H)	450mm poly hinge lid, 2" poly fitting (loose), frame fitted	PTSP02500KTT	\$4,972
2 0001	No	2000(L) x 1420(W) x 1150(H)	450mm poly hinge lid, 2" poly fitting (loose), mounting pins	PTSP02000TT	\$2,869
2,000L	Yes	2000(L) x 1420(W) x 1215(H)	450mm poly hinge lid, 2" poly fitting (loose), frame fitted	PTSP02000KTT	\$4,457
- 10	_				
Tank Size	Frame	Dimensions	Notes	Code	RRP inc.
2,000AL	No	1640(L) x 1320(W) x 1300(H)	450mm poly hinge lid, 2" poly fitting (loose), mounting pins	PTSP02000ATT	\$2,869
2,000AL	Yes	1640(L) x 1320(W) x 1350(H)	450mm poly hinge lid, 2" poly fitting (loose), frame fitted	PTSP02000AKTT	\$4,457

STRAP MOUNT SPRAY TANKS								
Tank Size	Frame	Dimensions	Notes	Code	RRP inc.			
2 0001	No	1700(L) x 1170(W) x 1460(H)	450mm poly hinge lid, 2" poly fitting (loose)	PTSS02000TT	\$2,869			
2,000L	Yes	1700(L) × 1170(W) × 1510(H)	450mm poly hinge lid, 2" poly fitting (loose), frame fitted	PTSS02000KTT	\$4,263			
1 2001	No	1700(L) × 1170(W) × 950(H)	450mm poly hinge lid, 1.5" poly fitting (loose)	PTSS01200TT	\$1,809			
1,200L	Yes	1700(L) x 1170(W) x 1060(H)	450mm poly hinge lid, 1.5" poly fitting (loose), frame fitted	PTSS01200KTT	\$2,882			









PIN MOUNT SPRAY TANKS RRP inc. **Tank Size** Frame **Dimensions** Code No 1640(L) x 1320(W) x 1100(H) 450mm poly hinge lid, 1.5" poly fitting (loose), mounting pins PTSP01500TT \$2,250 1,500L 1640(L) x 1320(W) x 1150(H) 450mm poly hinge lid, 1.5" poly fitting (loose), frame fitted PTSP01500KTT \$3,373 Yes 1800(L) x 1320(W) x 920(H) 450mm poly hinge lid, 1.5" poly fitting (loose), mounting pins PTSP01500ATT \$2,250 1,500AL 1800(L) x 1320(W) x 970(H) 450mm poly hinge lid, 1.5" poly fitting (loose), frame fitted PTSP01500AKTT \$3,373 Yes 1640(L) x 1320(W) x 870(H) 450mm poly hinge lid, 1.5" poly fitting (loose), mounting pins PTSP01200TT \$1,823 No 1,200L 450mm poly hinge lid, 1.5" poly fitting (loose), frame fitted PTSP01200KTT \$2,925 Yes 1640(L) x 1320(W) x 950(H) 1360(L) x 1200(W) x 1000(H) 450mm poly hinge lid, 1.5" poly fitting (loose), mounting pins PTSP01000TT \$1,591 1,000L 1360(L) x 1200(W) x 1045(H) 450mm poly hinge lid, 1.5" poly fitting (loose), frame fitted PTSP01000KTT \$2,544 Yes \$1,442 450mm poly hinge lid, 1.5" poly fitting (loose), mounting pins PTSP00800TT No 1360(L) x 1200(W) x 650(H) 800L 450mm poly hinge lid, 1.5" poly fitting (loose), frame fitted 1360(L) x 1200(W) x 700(H) PTSP00800KTT \$2,384 Yes RRP inc. **Tank Size** Frame **Dimensions** Code 1140(L) x 1050(W) x 800(H) 250mm poly screw lid, 1.5" poly fitting (loose), mounting pins \$1,222 No PTSP00600TT 600L 1140(L) x 1050(W) x 850(H) 250mm poly screw lid, 1.5" poly fitting (loose), frame fitted PTSP00600KTT \$1,965 Yes 1140(L) x 1050(W) x 610(H) 250mm poly screw lid, 1.5" poly fitting (loose), mounting pins \$1,058 No PTSP00400ATT 400AL 1140(L) x 1050(W) x 650(H) 250mm poly screw lid, 1.5" poly fitting (loose), frame fitted PTSP00400AKTT \$1,789





	_	-· ·			
Tank Size	Frame	Dimensions	Notes	Code	RRP inc.
600L	No	1250(L) x 820(W) x 950(H)	250mm poly screw lid, 1.5" poly fitting (loose)	PTSS00600TT	\$1,130
OUUL	Yes	1250(L) x 820(W) x 1000(H)	250mm poly screw lid, 1.5" poly fitting (loose), frame fitted	PTSS00600KTT	\$1,780
400L	No	900(L) x 820(W) x 950(H)	250mm poly screw lid, 1.5" poly fitting (loose)	PTSS00400TT	\$995
400L	Yes	900(L) × 820(W) × 1000(H)	250mm poly screw lid, 1.5" poly fitting (loose), frame fitted	PTSS00400KTT	\$1,627
2001	No	1260(L) x 590(W) x 755(H)	250mm poly screw lid, 1.5" poly fitting (loose)	PTSS00300TT	\$864
300L	Yes	1260(L) x 590(W) x 850(H)	250mm poly screw lid, 1.5" poly fitting (loose), frame fitted	PTSS00300KTT	\$1,177
20041	No	940(L) x 600(W) x 925(H)	250mm poly screw lid, 1.5" poly fitting (loose)	PTSS00300ATT	\$864
300AL	Yes	940(L) x 600(W) x 970(H)	250mm poly screw lid, 1.5" poly fitting (loose), frame fitted	PTSS00300AKTT	\$1,177
2001	No	940(L) x 600(W) x 725(H)	250mm poly screw lid, 1.5" poly fitting (loose)	PTSS00200TT	\$697
200L	Yes	940(L) x 600(W) x 750(H)	250mm poly screw lid, 1.5" poly fitting (loose), frame fitted	PTSS00200KTT	\$970
1001	No	815(L) x 450(W) x 595(H)	250mm poly screw lid, 1" poly fitting (loose)	PTSS00100TT	\$478
100L	Yes	815(L) x 500(W) x 610(H)	250mm poly screw lid, 1" poly fitting (loose), frame fitted	PTSS00100KTT	\$816





Our Rinse Master chemical rinse bins are a quick and easy means of triple rinsing empty chemical drums. Manufactured from corrosion resistant material, we have various size bins and nozzles for any clean-up.

Tank Size	Frame	Notes	Dimensions (mm)	Code	RRP inc.
	No	Tank only, no fittings	655(L) x 655(W) x 920(H)	PJR0300LNA	\$679
	Yes	Tank, frame, no fittings	755(H) x 655(L) x 1155(W)	PJR0300LKNA	\$1,085
300L	Yes	Tank, frame w/ complete drum rinse rotating nozzle & outlet	755(H) x 655(L) x 1155(W)	PJR0300LKCNA	\$1,215
	Yes	Tank, frame drum rinse w/ rotating nozzle, outlet & 5mm ventruri	755(H) x 655(L) x 1155(W)	PJR0300LKV5NA	\$1,250
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 9mm ventruri	755(H) x 655(L) x 1155(W)	PJR0300LKV9NA	\$1,250
	No	Tank only, no fittings	595(L) x 600(W) x 922(H)	PJR0200LNA	\$571
	Yes	Tank, frame, no fittings	695(L) x 600(W) x 1120(H)	PJR0200LKNA	\$928
200L	Yes	Tank, frame w/ complete drum rinse rotating nozzle & outlet	695(L) x 600(W) x 1120(H)	PJR0200LKCNA	\$1,058
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 5mm ventruri	695(L) x 600(W) x 1120(H)	PJR0200LKV5NA	\$1,093
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 9mm venturi	695(L) x 600(W) x 1120(H)	PJR0200LKV9NA	\$1,093
	No	Tank only, no fittings	595(L) x 600(W) x 600(H)	PJR0120LNA	\$352
	Yes	Tank, frame, no fittings	695(L) x 600(W) x 800(H)	PJR0120LKNA	\$737
120L	Yes	Tank, frame w/ complete drum rinse rotating nozzle & outlet	695(L) x 600(W) x 800(H)	PJR0120LKCNA	\$930
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 5mm ventruri	695(L) x 600(W) x 800(H)	PJR0120LKV5NA	\$957
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 9mm venturi	695(L) x 600(W) x 800(H)	PJR0120LKV9NA	\$957
	No	Tank only, no fittings	500(L) x 500(W) x 430(H)	PJR0050LNA	\$274
	Yes	Tank, frame, no fittings	600(L) x 500(W) x 600(H)	PJR0050LKNA	\$534
50L	Yes	Tank, frame w/ complete drum rinse rotating nozzle & outlet	600(L) x 500(W) x 600(H)	PJR0050LKCNA	\$864
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 5mm ventruri	600(L) x 500(W) x 600(H)	PJR0050LKV5NA	\$903
	Yes	Tank, frame, drum rinse w/ rotating nozzle, outlet & 9mm venturi	600(L) x 500(W) x 600(H)	PJR0050LKV9NA	\$903





ROTATING NOZZLE

Comes standard for faster cleaning. Spins at 3000rpm at 3Bar pressure

ADD ON - ACCESSORIES

Item	Code	RRP inc.
Rotating nozzle, valve & butterfly	ATPRVBR	\$294
5mm Venturi assy complete with tee	ATPRTNV5	\$50
9mm Venturi assy complete with tee	ATPRTNV9	\$50

5MM & 9MM VENTURI SUCTION

Venturi Size	Flow (L/min)	BAR Pressure	PSI Pressure
5	20 - 50	2-15	29-218
9	100 - 150	7-15	102-218





Rapid Spray's Ball Baffle system is the only baffle system that has been independently tested and verified by Loadsafe Australia. Our ball baffles are durable, rust resistant, lightweight and fully baffle the whole tank which dramatically reduces fluid movement for improved load stability during transit. They are suitable for use with all tanks including poly, steel, fibreglass and aluminium, and are made from food grade quality material making them suitable for potable water transport. They can also be used with diesel and other liquids. Simple to install, the balls are supplied in two halves with a simple push and twist joining system. If you are using a 3" or 4" pump, we recommend fitting a Ball Baffle outlet protector.

SUITABLE FOR STEEL & FIBREGLASS TANKS

REDUCES BRAKING DISTANCE

Independent testing has demonstrated the Ball Baffle system reduces braking by up to 46%



Suitable for use with potable water

CAN BE USED WITH DIESEL & OTHER LIQUIDS

TESTED & APPROVED BY LOADSAFE AUSTRALIA

Check out the video on rapidspray.net



AUSTRALIAN MADE

With 1 year warranty. New & improved design - 300% stronger. Greater durability and longevity



GREATER STABILITY

Slalom testing shows a remarkable increase in vehicle stability

Code	Description	RRP inc.
ARG080	3" Outlet protector	\$244



BALL BAFFLES

Description	Liquid displacement	Weight	Quantity Requirement	Code	RRP inc.
Ø195mm Ball Baffle	Displaces 150ml per ball	Dry weight: 126gm per ball	1 Ball Baffle per 7 litres of tank capacity	ARB195	\$5.50
Ø195mm Ball Baffle Fitted*	Displaces 150ml per ball	Dry weight: 126gm per ball	1 Ball Baffle per 7 litres of tank capacity	ARB195F	\$6.60
Ø355mm Ball Baffle	Displaces 428ml per ball	Dry weight: 478gm per ball	1 Ball Baffle per 40 litres of tank capacity	ARB355	\$10.00
Ø355mm Ball Baffle Fitted*	Displaces 428ml per ball	Dry weight: 478gm per ball	1 Ball Baffle per 40 litres of tank capacity	ARB355F	\$11.20

^{*}Must be ordered with a tank for fitting.

POLY FLANGED TANK OUTLET FITTINGS



Description	Code	RRP inc.
¾" poly tank outlet	ARFP020	\$14.70
1" poly tank outlet	ARFP025	\$14.70
1 ¼" poly tank outlet	ARFP032	\$19.00
1 ½" poly tank outlet	ARFP038	\$26.50
2" poly tank outlet	ARFP050	\$32.70
2" poly tank outlet with reverse thread	ARFP050R	\$48.60

BRASS FLANGED TANK OUTLET FITTINGS



	_	
Description	Code	RRP inc.
¾" Brass tank outlet	ARFB020	\$44.70
1" Brass tank outlet	ARFB025	\$57
1 ¼" Brass tank outlet	ARFB032	\$74
1 ½" Brass tank outlet	ARFB038R	\$88
2" Brass tank outlet w/ reverse thread	ARFB050R	\$109
3" Brass tank outlet w/ reverse thread	ARFB080R	\$205
4" Brass tank outlet w/ reverse thread	ARFB100R	\$310



CROC-LOC BOLTED TANK FITTINGS

Suitable for liquid fertiliser, molasses and most liquids. Easy to tighten, superior leak free performance!

- 304 Stainless steel
- EPDM gasket standard on 2"
- VITON standard on 3" & 4"
- BUNA optional

Description	Code	RRP inc.
2" SS 4-bolt Croc-loc outlet	ARBS050	\$215
3" SS 6-bolt Croc-loc outlet	ARBS080	\$251
4" SS 8-bolt Croc-loc outlet	ARBS100	\$343





455mm diameter lid, rim & gasket seal. Supplied with fixing ring Labyrinth breather valve. Suitable for openings: 415mm - 430mm



455mm diameter hinged lid and seal. Supplied with fixing ring. Twin labyrinth breather valve. Stainless steel construction. Lockable with gasket seal. Suits tank openings: 415mm - 430mm



255mm diameter threaded lid assembly with fixed labyrinth breather valve, Gasket seal Suits tank openings: 215mm - 225mm







viewing easy. 1.5m tube length

